



利民化工有限责任公司

LIMIN CHEMICAL CO.,LTD.

ADD:31 XINTAN RD,XINYI 221400,JIANGSU,CHINA TEL(FAX): 86-516-88923651

## Material Safety Data Sheet

### SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Mancozeb 80% WP

Use: fungicide

LIMIN CHEMICAL CO.,LTD.

No.31 Xintan Road, Xinyi City, Jiangsu Province, China 221400

Phone: 0086-516-8984583; Fax:0086-516-8923651

Website address: [www.chinalimin.com](http://www.chinalimin.com)

### SECTION 2 - COMPOSITION, INFORMATION ON INGREDIENTS

Active ingredient:: mancozeb

IUPAC: manganese ethylenebis(dithiocarbamate)(polymeric)complex with zinc salt

Chemical Name	CAS#	Proportion(g/kg)
Mancozeb	8018-01-7	800
Other inert		200

### SECTION 3 - HAZARDS IDENTIFICATION

Inhalation

Inhalation of dust can cause the following: irritation of nose, throat, and lungs.

Eye contact

Direct contact with material can cause the following: moderate irritation

Skin contact

Prolonged or repeated skin contact can cause the following: possible skin irritation-dermatitis due to skin sensitization

Ingestion

Very low toxicity by ingestion.

### SECTION 4 - FIRST AID MEASURES

Inhalation

Move subject to fresh air.

Eye contact

Flush eyes with water. Consult a physician if irritation persists.

Skin contact

Wash affected skin areas thoroughly with soap and water. Consult a physician if irritation persists. Remove and wash contaminated clothing thoroughly. Do not take clothing home to be laundered.

Ingestion



利民化工有限责任公司

**LIMIN CHEMICAL CO.,LTD.**

ADD:31 XINTAN RD,XINYI 221400,JIANGSU,CHINA TEL(FAX): 86-516-88923651

If swallowed, give 2 glasses of water to drink. See a physician. Never give anything by mouth to an unconscious person.

#### **SECTION 5 - FIRE FIGHTING MEASURES**

Flash Point (Method): 280°F/137.8°C (TOC)

Flammable limits: 0.2g/l(% by volume in air)

Autoignition temperature: Not determined

#### **FIRE FIGHTING HAZARDS& PROCEDURES**

General hazards:

Like most organic powders or crystals, under severe dusting conditions this material may form explosive mixtures in air.

Extinguishing media:

Use dry chemical carbon dioxide, water spray or foam.

Fire fighting equipment/instruction:

Keep personnel removed and upwind of fire. Wear self-contained breathing apparatus. Wear full protective equipment. Use water spray. Runoff from fire control may be a pollution hazard. If area is heavily exposed of fire and if conditions permit. Let fire burn itself out since water may increase the contamination hazard.

Hazardous combustion products:

Hazardous gases/vapors produced in fire are H<sub>2</sub>S, CS<sub>2</sub>, and oxides of sulfur, nitrogen, and carbon.

#### **SECTION 6 - ACCIDENTAL RELEASE MEASURES**

Spill or leak procedures: remove source of heat, sparks, flame, impact, friction, or electricity. Dike spill. Prevent material from entering sewers, waterways, or low areas. Shovel or sweep up. Never return to container for reuse. Scoop into bags or boxes with plastic or aluminum shovel.

#### **SECTION 7 - HANDLING and STORAGE**

General information

Avoid breathing vapors or mist. Avoid breathing dust. Avoid contact with eyes, skin, or tobacco in areas where they may become contaminated with this material.

Handling:

Users should wash hands before eating, drinking, chewing gum, using tobacco or using toilet. Remove personal protective equipment immediately after handling this product. Wash the outside of gloves before removing,. As soon as possible, wash thoroughly and change into clean clothing. Avoid dust regeneration.

Storage:



利民化工有限责任公司

**LIMIN CHEMICAL CO.,LTD.**

ADD:31 XINTAN RD,XINYI 221400,JIANGSU,CHINA TEL(FAX): 86-516-88923651

Store in a well ventilated place. Keep container tightly closed. Do not store or consume food, drink, or tobacco in areas where they may become contaminated with this material. Never allow the product to become wet during storage. This may lead to chemical changes with will reduce the effectiveness as fungicide and create flammable vapors.

### **SECTION 8 - EXPOSURE CONTROLS, PERSONAL PROTECTION**

Ventilation:

Provide local exhaust ventilation and/or general dilution ventilation to meet published exposure limits.

Respiratory protection:

Wear dual cartridge respirator for dusts and mists.

Eye protection:

Wear protective eyewear to prevent contact with this substance.

Protective clothing:

Mixers and loaders must wear coveralls over long-sleeved shirt and long pant, shoe plus socks, protective eyewear, and chemical-resistant apron. Applicators and other handlers must wear coveralls over long-sleeved shirt and long pant, waterproof gloves, and shoe plus socks. Personnel re-entering treated areas that is permitted under the worker protection standard and that involves contact with anything that has been treated, such as plants, soil, or water coveralls over long-sleeved shirt and ling pants, waterproof gloves, and shoes plus socks. Any clothing or heavily contaminated with this product's concentrate must be discarded. Do not reuse them. Follow manufacture's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

### **SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES**

Color: Yellowish

State: granules

Odor: sulfurous

Melting point: 192°C ( decomposed before this degree)

Moisture: ≤2%

Bulk density: 0.35-0.5g/cm<sup>3</sup>

Vapor Pressure (@ 25°C mm Hg): neglectable

### **SECTION 10 - STABILITY AND REACTIVITY**

Stability: Stable at normal temperature and storage conditions. Elevated temperatures and/or free water promotes decomposition of exposed material. Conditions To Avoid: Open flames, sparks, ignition sources, dampness.



利民化工有限责任公司

**LIMIN CHEMICAL CO.,LTD.**

ADD:31 XINTAN RD,XINYI 221400,JIANGSU,CHINA TEL(FAX): 86-516-88923651

Incompatibility: Strong acids, oxidizers, dampness (in storage).

Hazardous Polymerization: N/A

Hazardous Decomposition Products: Toxic and flammable fumes produced:  
H<sub>2</sub>S, CS<sub>2</sub>,  
and oxides of sulfur, nitrogen, and carbon.

## **SECTION 11 - TOXICOLOGICAL INFORMATION**

Acute data:

Oral LD50 (rat): >5000mg/kg

Dermal LD50(rabbit): >5000mg/kg

Skin irritation(rabbit): >practically non-irritating

Eye irritation(rabbit): >not irritating( EEC Classification)

Moderately irritating( US Classification)

Inhalation LC50( rat): >5.14mg/L for 4 hr.

Carcinogenicity data

A two-year feeding study of mancozeb in rats produced an increased incidence of thyroid tumors at 750ppm (29mg/kg/day). No evidence of carcinogenicity was observed in long-term studies with mice.

Mutagenicity data

Both mancozeb and ETU have been adequately tested in wide variety of in vitro and in vivo mutagenicity tests. The weight of the evidence of these tests indicates that mancozeb and ETU are not mutagenic in mammalian systems.

Reproductive/Teratology data

No reproductive effects were seen below exposure levels high enough to produce non-reproductive toxic effects in two-generation reproduction studies of mancozeb or ETU in rats.

Sensitization data

Mancozeb causes skin sensitization in guinea pigs when tested using the maximization procedure, but not when tested using the Buehler procedure. Consequently, mancozeb may have a weak potential for skin sensitization in humans.

Toxicity class WHO (a.i.) III (Table 5); EPA (formulation) IV

## **SECTION 12 - ECOLOGICAL INFORMATION**

Mallard duck, 10 day LD50: >6400mg/kg

Japanese quail, 10 day LD50:>6400my/kg

Mallard duck, reproduction, NOAEL: 125ppm

Bobwhite quail,reproduction, NOAEL:500ppm

Rainbow trout ,48hour LC50: 1.9ML/L

LC<sub>50</sub>( bluegill sunfish 96 hours):1ppm



利民化工有限责任公司

**LIMIN CHEMICAL CO.,LTD.**

ADD:31 XINTAN RD,XINYI 221400,JIANGSU,CHINA TEL(FAX): 86-516-88923651

### **SECTION 13 - DISPOSAL CONSIDERATIONS**

Treatment, storage, transportation, and disposal must be in accordance with applicable federal, state/provincial, and local regulations. Do not flush to surface water or sanitary sewer system. Disposal of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burned, stay out of smoke.

### **SECTION 14 - TRANSPORT INFORMATION**

DOT Shipping Description: Fungicide, Agricultural,

UN Identification Number: 3077

Solid, N.O.I. (Mancozeb), Class 60 OSHA Hazard Classification: N/A

Reportable Quantity: N/A DOT Hazard Classification: Not regulated for land based shipments.

Hazardous Substance: Mancozeb DOT Label Requirements: Not regulated for land based shipments.

### **SECTION 15 - REGULATORY INFORMATION**

EPA SARA TITLE III DATA:

SECTION 302 Substances: N/A SECTION 313 TOXIC CHEMICALS: Yes (Mancozeb)

RCRA Waste Number: N/A CERCLA RQ: N/A

SECTION 311/312 Hazardous Categories: N/A CALIFORNIA PROP 65: Yes (Mancozeb) (ETU)

Immediate Health: Yes Reactive: Yes NFPA RATINGS

Delayed Health: Yes Sudden Pressure: No Flammability: 1 Health: 1

Fire: Yes Resactivity: 1

### **SECTION 16 - ADDITIONAL INFORMATION**

MSDS Creation Date: 7/18/2004

The data in this Material Safety Data Sheet relates only to the specific material designated herein and are based upon data believed to be correct.

Prepared by: Limin Chemical Co., Ltd.